

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3658	(encrypt\$4 encod\$3 encipher\$8 cipher\$9) near4 (public\$2 share\$2 common) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2005/05/09 11:22
L2	15240	(recipient\$1 reciev\$4 user\$2 client\$2) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2005/05/09 11:23
L3	1338	(recipient\$1 reciev\$4 user\$2 client\$2) near3 (private\$2 secret\$2) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2005/05/09 11:30
L4	1041	l1 and l3	USPAT; IBM_TDB	OR	OFF	2005/05/09 11:30
L5	376	(grantor\$2 sender\$2) near3 (private\$2 secret\$2) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2005/05/09 11:31
L6	193	l4 and l5	USPAT; IBM_TDB	OR	OFF	2005/05/09 11:31
L7	40	l6 and (elgamal)	USPAT; IBM_TDB	OR	OFF	2005/05/09 12:09
L10	4545	((713/200) or (713/201) or (380/28) or (380/29) or (380/30) or (380/228) or (380/259) or (380/268) or (380/282) or (380/245) or (380/44)).CCLS.	USPAT; IBM_TDB	OR	OFF	2005/05/09 12:08
L11	1280	l1 and l10	USPAT; IBM_TDB	OR	OFF	2005/05/09 12:08
L12	468	l3 and l11	USPAT; IBM_TDB	OR	OFF	2005/05/09 12:08
L13	102	l5 and l12	USPAT; IBM_TDB	OR	OFF	2005/05/09 12:08
L14	81	l13 not l7	USPAT; IBM_TDB	OR	OFF	2005/05/09 12:09

69/468, 703

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2944	(encrypt\$4 encipher\$8 cipher\$8) near3 ((public\$2 common) near key\$1)	USPAT; IBM_TDB	OR	OFF	2005/05/10 16:10
L2	1405	(recipient\$1 receiver\$1 user\$1 client\$1) near3 ((secret\$2 private\$1) near key\$1)	USPAT; IBM_TDB	OR	OFF	2005/05/10 16:11
L3	395	(grant\$3 sender\$1) near3 ((secret\$2 private\$1) near key\$1)	USPAT; IBM_TDB	OR	OFF	2005/05/10 17:41
L4	219	l1 and l2 and l3	USPAT; IBM_TDB	OR	OFF	2005/05/10 16:11
L5	39	l4 and (re-encrypt\$4 reencrypt\$4 re-encipher\$8 reencipher\$8 re-cipher\$7 recipher\$8)	USPAT; IBM_TDB	OR	OFF	2005/05/10 17:36
L6	25544	(secret\$2 private\$1 shared same\$1 combin\$6) near3 key\$1	USPAT; IBM_TDB	OR	OFF	2005/05/10 18:00
L7	488	l6 near8 (transform\$8 re-encrypt\$4 reencrypt\$4 re-encipher\$8 reencipher\$8 re-cipher\$7 recipher\$8)	USPAT; IBM_TDB	OR	OFF	2005/05/10 18:01
L8	279	l1 and l7	USPAT; IBM_TDB	OR	OFF	2005/05/10 17:37
L9	274	l8 and ((secret\$2 private\$1) near2 key\$1)	USPAT; IBM_TDB	OR	OFF	2005/05/10 17:39
L10	268	l9 and (decrypt\$4 decipher\$8 decod\$3)	USPAT; IBM_TDB	OR	OFF	2005/05/10 17:40
L11	2365	(decrypt\$4 decipher\$8 decod\$3) near6 ((private\$2 secret\$2) near2 key\$1)	USPAT; IBM_TDB	OR	OFF	2005/05/10 17:40
L12	1260	l11 near8 (public\$2 near key\$1)	USPAT; IBM_TDB	OR	OFF	2005/05/10 17:40
L13	151	l10 and l12	USPAT; IBM_TDB	OR	OFF	2005/05/10 17:41
L14	704	(grant\$3 sender\$1 server\$2) near3 ((secret\$2 private\$1) near key\$1)	USPAT; IBM_TDB	OR	OFF	2005/05/10 17:41
L15	206	l14 with l2	USPAT; IBM_TDB	OR	OFF	2005/05/10 17:41
L16	128	l15 with (encrypt\$4 encipher\$8 cipher\$8 transform\$8 re-encrypt\$4 reencrypt\$4 re-encipher\$8 reencipher\$8 re-cipher\$7 recipher\$8)	USPAT; IBM_TDB	OR	OFF	2005/05/10 17:42
L17	101	l16 and l1	USPAT; IBM_TDB	OR	OFF	2005/05/10 17:43